Page 2 of 14

IN THE CLAIMS:

1. (Currently Amended) A data transforming system, including comprising:

a plurality of receive interfaces configured to receive data;

a transformation module configured to transform the format of the received data into

modified data having a different format that is recognizable by a target system, which cannot

recognize the format of the received data; and

a transmit interface configured to send data to the target system;

wherein the modified data includes a first portion of data from a first receive interface

and a second portion of data from a second receive interface, and is configured

according to a predetermined format of the target system.

2. (Currently Amended) The data transforming system of claim 1, wherein the

transformation module is configured to preprocess the received data and to provide optimized

data to the target system, where the optimized data includes comprising the first portion and

second portions of data, and wherein each of the first and second portions of data represents an

automated selection of optimal data from corresponding portions of received data

from the first and second receive interfaces.

Page 3 of 14

3. (Currently Amended) The data transforming system of claim 1, wherein the first

received portion of data is at least received from a local source.

4. (Currently Amended) The data transforming system of claim 1, wherein the

second received portion of data is at-least received from a remote source.

5. (Currently Amended) The data transforming system of claim 1, wherein the first

and the second received portion of data are received from a local source and a remote source,

respectively.

6. (Original) The data transforming system of claim 1, configured to execute the

transformation to generate emulated data recognizable by the target system.

7. (Currently Amended) The data transforming system of claim 1, wherein the

transformation module includes comprising:

at least one receive interface to receive the first and second received data;

a logic module to process the first and second receive data; and

at least one transmit interface to transmit optimized data.

Page 4 of 14

8. (Currently Amended) The data transforming system of claim 1, further including comprising a third interface configured to send data to a plurality of other data transforming systems.

- 9. (Currently Amended) The data transforming system of claim 1, wherein the target system is a combat system.
- 10. (Currently Amended) The data transforming system of claim 1, wherein the received data includes at least one track file.
- 11. (Currently Amended) The data transforming system of claim 3, further including comprising an override module configured to provide operator-selected data in place of at least one track of the automated selection of optimal data.
- 12. (Currently Amended) The data transforming system of claim 3, <u>further</u> including comprising logic configured to provide the first received data to the target system through bypass logic of the data transforming system.

Page 5 of 14

13. (Currently Amended) The data transforming system of claim 1, wherein said data transforming system is a banking system.

14. (Currently Amended) An integrated plurality of data transforming systems and associated target systems, wherein each data transforming system includes comprising:

a plurality of receive interfaces configured to receive data;

a transformation module configured to transform the format of the received data into modified data having a different format recognizable by a target system, which cannot recognize the format of the received data; and

a transmit interface configured to send data to the target system;

wherein the modified data includes a first portion of data from a first receive interface and a second portion of data from a second receive interface, and is configured according to a predetermined format of the target system.

(Currently Amended) The integrated plurality of data transforming systems and 15. associated target systems of claim 14, wherein the transformation module of the data transforming systems is configured to preprocess the first and second received portions of data and to provide optimized data to the target system, where the optimized data includes comprising the first portion and second portions of data, and each of the first and second portions

Page 6 of 14

of data represents representing an automated selection of optimal data from corresponding portions of data from the first and second receive interfaces.

16. (Currently Amended) An integrated plurality of data transforming systems and associated target systems, wherein each data transforming system includes comprising:

a plurality of receive interfaces configured to receive data;

a transformation module configured to transform the format of the received data into modified data having a different format recognizable by a target system, which cannot recognize the format of the received data; and

a transmit interface configured to send data to the target system; wherein the modified data includes comprising a first portion of data from a first receive interface and a second portion of data from a second receive interface, and is configured according to a predetermined format of the target system; and wherein additional computer systems are integrated into the integrated plurality of data transforming systems.

17. (Currently Amended) The integrated plurality of data transforming systems, associated target systems and additional computer systems of claim 16, wherein the transformation module of the data transforming systems is configured to preprocess the first and second received portions of data and to provide optimized data to the target system, where the

Page 7 of 14

optimized data includes comprising the first portion and second portions of data, and each of the first and second portions of data represents representing an automated selection of optimal data from corresponding portions of data from the first and second receive interfaces.

(Currently Amended) A method of generating and transmitting data derived from 18. a first set of received local data and a second set of received remote data, comprising including the steps of:

generating automatically optimized data from the first and the second set sets of received data;

transforming the format of the optimized data into a different data format recognizable to a target system, which cannot recognize the format of the optimized data; and providing the data recognizable to the target system to the target system.

- 19. (Currently Amended) The method of claim 18, where wherein the signals include comprise records.
- 20. (Currently Amended) The method of claim 18, wherein the received signals include comprise local and remote signals.

Page 8 of 14

(Currently Amended) The method of claim 18, wherein the signals include 21. comprise real-time signals.

- 22. (Original) The method of claim 18, wherein the transformation is performed by providing emulated data recognizable by the target system to the target system.
 - (Original) The method of claim 18, wherein the target system is a combat system. 23.
- 24. (Currently Amended) The method of claim 18 wherein the first and second sets of received data include comprise track files.
- (Currently Amended) The method of claim 18, wherein including further 25. comprising user selection of a least one piece of data.
- 26. (Currently Amended) The method of claim 18, further including the step of comprising providing the first set of[[,]] received data to the target system bypassing the transformation module.

Page 9 of 14

27. (Currently Amended) A system for integrating a plurality of computer-based systems, comprising including:

means for receiving data from a plurality of interfaces;

means for transforming the format of the received data into optimized data having a different format; and

means for sending the optimized data to a target computer that can recognize the format of the optimized data, but not the received data.

- 28. (Original) The system of claim 27, wherein the means for receiving data are interfaces to sensors and networks.
- 29. (Original) The system of claim 27, wherein the means for receiving data are interfaces connected to other computer-based systems.
- 30. (Currently Amended) The system of claim 27, wherein the means for sending data are channels to a[[,]] computer-based target system.
- (Currently Amended) A method for integrating naval and maritime combat 31. platforms, comprising including:

Page 10 of 14

implementing a common network interface on a plurality of naval combat systems, the network interface configured to:

a. receive signals and messages including track data from a plurality of sources;

b. optimize the signals and messages;

c. generate a track file that includes the optimized signals and messages; and

d. emulating the transforming the format of the signals and messages to a different format

that a host combat system is configured to receive.